

FAX Page 1 To: Kitsap Public Health District 360-337-5241 (Confidential FAX Line)

Adapted from WA DOH
Form 347-102

CONFIDENTIAL SEXUALLY TRANSMITTED DISEASE CASE REPORT Report STDs within three work days (WAC 246-101-101/301)

PATIENT INFORMATION										
LAST NAME			FIRS	FIRST NAME					MIDDLE INITIAL	
ADDRESS			CITY	СІТҮ			STATE	STATE		DDE
DATE OF BIRTH TELEPHONE			<u> </u>			EMAIL			1	
MO DAY YR ()										
SEX		ETHNICITY	_	RACE ((Check all that			G	ENDER	OF SEX PARTNERS
Male Female Transgendered Male Transgendered Fem	Hispanic Non-Hispanic Unknown	Non-Hispanic Black Unknown American Indian/A			Other Unknown			Male Fema Both Unkne		
If Female, PREGNANT?		REASON FOR EXA	AM (C	AM (Check one) HIV TESTED AT THIS				IS VISIT?	*	
🗌 Yes 🗌 No	Unknown	Symptomatic	No 9	Sumptom	~	□ Yes □	No 🗌	Previous	Positive	
DATE OF DIAGNOSIS		Exposed to Infec			5	*If newly HI∖	/ positive,	, complete	e and sub	mit the
MO DAY	YR					HIV/AIDS				
			DIA	GNOSI	S – DISEASE					
		RRHEA (lab confir							-	PHILIS
DIAGNOSIS - Y only or Asymptomatic Symptomatic-Uncom Pelvic Inflammatory D Ophthalmia Disseminated Other Complications: DATE TESTED: DIAGNOSIS - Y only or Asymptomatic Symptomatic-Uncom Pelvic Inflammatory D Ophthalmia Other Complications: DATE TESTED:	ne plicated Disease CHLAM ne plicated Disease	SITE(S) - Y all that Cervix Urethra Urine Rectum Pharynx Vagina Ocular Other: YDIA TRACHOMAT SITE(S) - Y all that Cervix Urethra Urine Rectum Pharynx Vagina Ocular Ocular Ocular Ocular Ocular Ocular Ocular	TIS (y (lab cont y	Ceftriaxon Cefixime Other: DATE RX: firmed) TREATMENT Azithromyy Doxycyclir Levofloxac Other: Other:	Dox	hromycin cycycline 	Sec Ear Ear Lat Lat Cor Als RX GIV DATE F Gen Cha	mary (Cha condary (I ly Latent e Latent (e (with sy ngenital o Neuros EN: HERPES nital (initia onatal tory Conf Yes [O ancroid anuloma li	ancre, etc.) Rash, etc.) (<1 yr) >1 yr) mptoms) syphillis S SIMPLEX al infection only) irmation No THER
PARTNER MANAGEMENT PLAN ✓ Select method of ensuring partner treatment										
1. Provider will ensure all partners are treated (FREE medications available). Indicate number to be treated (). 2. All partners have been treated. Indicate number treated (). 3. Health Department to assume responsibility for partner treatment (if resources permit). Partner Plan Instructions Over										
REPORTING CLINIC INFORMATION										
DATE	FACILITY NA	ME				DIAGNOSING	CLINICI	AN		
ADDRESS			(CITY				STATE		ZIP
PERSON COMPLETING	FORM		TEL! (EPHONE	<u>:</u>)	1	EMAIL			

Thank you for reporting an STD. All information will be managed with the strictest confidentiality.

PRIVILEGED AND CONFIDENTIAL COMMUNICATIONS: The information contained in this message is privileged, confidential, or otherwise exempt from disclosure and is intended solely for the use of the individual(s) named above. If you are not the intended recipient, you are hereby advised that any dissemination, distribution, or copying of this communication is prohibited. If you have received this facsimile in error, please immediately notify the sender by telephone and destroy the original facsimile.

PARTNER MANAGEMENT PLAN INSTRUCTIONS

Gonorrhea or Chlamydial Infection: Partner Treatment

All partners should be treated as if they are infected.

If the provider takes responsibility to ensure partner treatment, the provider should examine and treat all patient's sex partners from the previous 60 days.

If this is **not** possible, patients should be offered medication to give to as many of their sex partners as they are able to contact and/or should be referred to Kitsap Public Health District for partner notification assistance.

Free medication is available for your patient's partner(s).

To obtain FREE medication for your patient's partner(s), call or fax a prescription to one of the pharmacies participating in your area.

For a prescription FAX form and list of participating pharmacies, call Kitsap Public Health District: 360-307-4309.

Note: Only participating pharmacies have stocks of FREE Public Health medication to dispense to patients for their partner(s).

Kitsap Public Health District may also provide free medication to your patient to give to his or her partner(s).

The Kitsap Public Health District recommends that you refer patients with any one or more of the following risks to the health department for help notifying their partners:

• Patient with 2 or more sex partners in the last 60 days , or

• Patient does not think he/she will have sex again with sex partners from the last 60 days, or

• Patient is unable/unwilling to contact one or more partner(s), or

• Patient is a man who has sex with other men

Although the Health Department requests that you refer patients with these risks to us, we also ask that you make every effort to help patients with these risks assure that their partners are treated, either by seeing the partners yourself or by offering patients free medication to give to their partners.

Complete the partner management plan on the Confidential Sexually Transmitted Disease Case Report FAX form to define a partner management plan.

For copies of this case report or questions on how to fill it out, call the Kitsap Public Health District: 360-307-4309.

Other STDs: Partner Treatment

All patients with infectious syphilis, chancroid, LGV or granuloma inguinale are routinely contacted by Kitsap Public Health District. Patients diagnosed with genital herpes should be advised to notify their sex partners and should be informed that their partners should contact their provider for testing.

RECOMMENDED REGIMENS FOR ANTIMICROBIALS LISTED ON CASE REPORTS*

Gonorrhea (uncomplicated): Ceftriaxone	250 mg IM as a single dose.	PLUS Azithromycin 1g PO as a single dose,			
		OR Doxycycline 100 mg PO BID for 7 days			
Alternatives:					
Cefixime	400 mg PO as a single dose,	PLUS Azithromycin 1g PO as a single dose, OR Doxycycline 100 mg PO BID for 7 days			
OR					
Azithromycin	2g PO as a single dose				
	Fluoroquinolones (Levofloxacin or Ciprofloxacin, etc.) are no longer recommended for the treatment of gonorrhea due to increased prevalence of quinolone-resistant <i>Neisseria gonorrhoeae</i> (QRNG).				
Chlamydia trachomatis (uncomplicated):					
Azithromycin		OR			
Doxycycline	100 mg PO BID for 7 days,	OR			
Alternatives:					
		OR (ethylsuccinate) 800 mg PO QID for 7 days, OR			
Ofloxacin		OR			
Levofloxacin	500 mg PO for 7 days,	UK			
Syphilis (primary, secondary or early latent Benzathine penicillin G	t < 1 year) 2.4 million units IM in a single dose				
Syphilis (latent > 1 year, latent of unknown Benzathine penicillin G	duration, tertiary [not neurosyphilis]				
*Refer to "STD Diagnostic and Treatment Guid patients, infections of the pharynx, treatment of		std/treatment for further information on treating pregnant			



TO:

Washington State STD Expedited Partner Therapy Project Fax Prescription for STD Treatment Packs

Pharmacy: <u>Check (J) Pharmacy in Table Below</u>	Date:
Rx: Patient Name:	DOB:
Person Picking up Meds:	DOB:
Rx: Dispense medications as checked below at no charge to patien Medications to be dispensed without childproof safety cap.	t.
 Public Health Pack 1: Azithromycin, 1 gram (Zithromax) PO once stat Public Health Pack 2: Cefixime 400 mg (Suprax) once PO stat and Azithromycin, 1 gram (Zithromax) PO once stat 	 No Known adverse drug reactions Unknown adverse drug reactions
Provider Signature (Dispense as Written)	Provider Signature (Substitutions Permitted)

Indicate (/) Pharmacy To Dispense Medications – Participating Pharmacies in Kitsap County					
J	Pharmacy Name	Fax #	Address	Phone	
	Rite Aid #5254	360-479-8571	4117 Kitsap Way Bremerton	360-479-2415	
	Rite Aid #5260	360-876-9114	3282 Bethel Rd SE Port Orchard	360-876-0969	
	Rite Aid #5261	360-697-5979	19475 7 th Ave NE Poulsbo	360-697-2209	
	Rite Aid #5266	360-692-5387	2860 NW Bucklin Hill Rd Silverdale	360-692-3410	

FROM:

Prescribing Provider Contact Information			
Name:	Fax:		
Address:	Phone:		